TRUE TEMPER®

finest quality lawn and garden tools



CATALOGUE S78

TRUE TEMPER®

display more to sell more!

MODULAR DISPLAYS

Attractive, compact, free modular displayers are designed to boost impulse sales at key traffic points. Construction for flexibility and versatility, they generate maximum sales action in minimum floor space.

SM44
FLORAL TOOL MERCHANDISER

Consists of:
12 - GC40 Floral Shovels
6 - GC41 Floral Rakes
12 - GC42 Floral Cultivator
12 - GC43 Floral Hoe
6 - GC44 Floral Hoe-Cultivator
Weight Complete: 72 lbs.

SM24
TOOL TOTER MERCHANDISER

Consists of:
12 Tool Toters each Containing 4 Hand Tools
1 - TGC20 Hand Trowel
1 - TGC22 Hand Cultivator
1 - TGC23 Digging Fork
1 - TF88 Dandelion Digger
Weight Complete: 46 lbs.

SM23
HAND TOOL MERCHANDISER

Consists of:
24 - TGC20 Hand Trowel
12 - TGC21 Transplant Trowel
12 - TGC22 Hand Cultivator
12 - TGC24 Weeding Hoe
12 - TGC25 Pointed Hoe
12 - TF88 Dandelion Digger
Weight Complete: 45 lbs.

SM53
GARDEN SHEARS MERCHANDISER

Consists of:
4 - 122 Lopping Shears
4 - TD Hedge Shears
4 - 19 Hedge Shears
6 - 22 Grass Shears
6 - G11 Grass Shears
6 - A35 Anvil Pruners
6 - P10 Anvil Pruners
Weight Complete: 55 lbs.

display more to sell more!

PEGBOARD DISPLAYS

Wire displayers for pegboard are loaded with fast-selling tool assortments. Displayers assembled and ready to be hung, loaded and put to work for you! Each displayer has a colorful product panel that describes the products it holds and provides a place for pricing. All are color co-ordinated for complete Lawn & Garden Center pegboard wall display. Tools can be easily removed and replaced on displayers by customers. Display racks are free to you with True Temper tool assortments. Choice of 4 product selections.

HDA3
HEDGE SHEAR DISPLAYER

Consists of:
4 - AT85 Hedge Shears
6 - TD Hedge Shears
6 - 19 Hedge Shears
Weight Complete: 38 lbs.



SDA3
GRASS SHEAR DISPLAYER

Consists of:
12 - 22 Grass Shears
6 - TG16 Grass Shears
Weight Complete: 20 lbs.

LDA2
LOPPING SHEAR DISPLAYER

Consists of:
4 - A103 Rocket Loppers
6 - 122 Garden Loppers
Weight Complete: 28 lbs.

PDA2
PRUNING SHEAR DISPLAYER

Consists of:
12 - A35 Rocket Pruners
6 - P10 Anvil Pruners
Weight Complete: 13 lbs.

MOBILE MERCHANDISER



76 long-handled garden tools are displayed on this rugged tubular steel stand. It's designed to move tools (and sales) to where the action is! Shows off tools to best advantage and permits easy restocking. Requires only 6 sq. ft. of floor space. Rolls easily on its own casters, when fully loaded, to any area in or outside of store. Customer can inspect rakes, hoes, shovels, etc., from all sides of merchandiser.

GM76 GARDEN CENTER MERCHANDISER

Consists of:
12 - SL22 Lawn Rakes
12 - FBR22 Brume Rakes
6 - B15 Bow Rakes
6 - C14 Garden Rakes
4 - 3AGC Cultivators
6 - EDS Turf Edgers
6 - FS743 Garden Hoes
6 - F643 Garden Hoes
6 - 9D Digging Forks
6 - LS5 Garden Shovels
6 - DLR2 Dynalite Shovels
Weight Complete: 245 lbs.

22

TG16

L22

G11

GRASS SHEARS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
L22	**LONG HANDLE SHEAR** — True Temper's famous 'floating blade' with convenient 'no-stoop' chrome-plated long handle . . . magic lock! Length 37½″.	4	44
22	**DRAW CUT SHEAR** — Lightweight shear has draw-cut action which slices through all types of grass easier, quicker. Polished blades. Handles have extra clearance to avoid scraped knuckles. Length 13″. Gravity lock holds shears closed.	6	14
TG16	**DRAW CUT SHEAR** — Famous 'floating blade' action cuts all types of grass easily! Upper blade teflon, lower blade chrome. Convenient gravity lock. Length 12½″.	12	9
G11	**DRAW CUT SHEAR** — A lightweight shear with 'floating blade,' draw-cut action. Blades tempered to hold keen edge. Comfortable handles allow plenty of room for finger clearance. Length 12½″.	12	9











PRUNING SHEARS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
A35	**ROCKET PRUNER** — Designed for strength and durability. Head is angled for easier, more natural operation. Cutting blade polished. Blade and anvil are replaceable. Roller action thumb catch. Made of fully tempered forged steel.	6	9
B36	**BRIAR EDGE ANVIL TYPE PRUNER** — Black oxide blade, vinyl grips.	6	8
P10	**ANVIL-TYPE PRUNER** — Lightweight pruner with replaceable anvil. Hardened and tempered high carbon steel blade. Handles fitted with vinyl grips.	12	6
P8	Promotion priced 8″ by-pass action pruner.	6	8

HEDGE SHEARS

AT85	**ROCKET HEDGE SHEAR** — Light, tubular steel chrome-plated shafts, with rubber cushion grips. Absorbs shocks 3 ways: in shafts, grips, and bumpers. Handles won't bend. 8½″ polished blades, lower blade serrated. Adjustable tension. 21″ overall.	4	28
TD	**DYNAMIC HEDGE SHEAR** — The 8½″ forged steel blades are hardened, tempered and polished. Lower blade serrated with limb notch. Adjustable tension. Fire-hardened handles. 21″ overall.	6	27
20F	**HEDGE SHEAR** — Fire-hardened, comfort grip handles are contoured for utility and sales appeal. 8½″ blades of tempered cutlery steel — lower blade serrated and with limb notch. Adjustable tension.	6	28
19	**COMET HEDGE SHEAR**—Competitively priced. Blade 8″ long. tempered steel. Lower blade serrated with limb notch. Hardwood handles.	6	25

A103



106



P15



P21



P24



P30

A105

122

LOPPING SHEARS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
A103	**ROCKET LOPPER** — ROCKET construction with tubular steel handles for extra strength. 26″ overall length. Rubber cushion non-slip grips and chrome-plated shafts absorb shocks. Full-size blade and hook, with Dynamic hinge bolt and nut for positive adjustment. Lightweight, perfectly balanced.	4	26
A105	**ROCKET HEAVY DUTY LOPPER** — Chrome-plated tubular steel handles, rubber cushion grips. Overall length: 26″.	4	29
106	**ADJUSTABLE ANVIL LOPPER** — Hardened steel blade for easy cutting, long life. Adjustable anvil allows blade to be resharpened many times. Anvil can also be repositioned to meet blade squarely. Strong 22″ ash handles are fire-hardened. 27″ overall.	4	33
122	**BRIAR EDGE FULL SIZE LOPPER** — Low priced for average home use but large size and extra rugged to give long service. Shaped 22″ hardwood handles are 'Tri-conic' contoured and have fire-hardened finish. Adjustable tension, hardened steel blade and hook are precision ground. 27¾″ overall.	6	33

PRUNING SAWS

P15	**COMPACT PRUNING SAW** — Blade length 15″. Tubular steel frame chrome plated. For camping, nursery, farm and general home use. Light and easy to handle. For blade only, specify No. P15B.	6	12
P21	**GENERAL PURPOSE PRUNING SAW** — Blade length 21″. Tubular steel frame, chrome plated. Excellent for farm, cottage or general home use. Light and easy to handle. Shock absorbing, non-slip cushion grip. Plastic blade protector. For blades only specify P21B.	6	17
P24	**BOW SAW** — Blade length 24″. Tubular steel chrome-plated bow frame saw. Cushion grip. Plastic blade protector. For blade only, specify No. P24B.	6	26
P30	**MULTI-USE BOW SAW** — Blade length 30″. A general utility saw with extended clearance for sawing firewood, pruning, clearing brush, etc. Shock absorbing, non-slip cushion grip. Chrome plated, tubular steel frame. Plastic blade protector. For blade only, specify No. P30B.	4	30



12W3B



106L3



12W3



26



29

TREE LOPPERS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
106L3	**EXTENSION ANVIL TYPE LOPPER** — A new 'Double-Action' anvil tree lopper with optional saw attachment. The pruning head has a sharp, tempered steel blade with an adjustable, replaceable anvil. Opens wide to cut branches up to 1¼". The optional 16" saw handles heavier limbs and has a fine tempered steel blade with teeth set 6 points per inch. Lopper features new 'chain and pulley' action which gives more power and leverage for easier cutting. 12 ft. handle consists of three 4 ft. sections of stained hardwood. For blade only, specify No. 106LB.	1	100
12W3	**EXTENSION TREE LOPPER** — Used by homeowners, orchardists and profesional tree trimmers. Hardened and tempered steel blade cuts up to 1" branches. Rope operated arm. 4 ft. sections jointed with metal clamps, can be used as 4, 8, or 12 ft. pruner.	1	84
12W3B	**SAW ATTACHMENT for 12W3 lopper** — 16" tempered steel blade . . . converts it to a versatile 2-in-1 tool. Teeth are hardened, sharply filed and set 8 points per inch. Cuts on both forward and backward strokes. Saw attachment for 106L3, specify No. 106LB.	6	6

WEED & GRASS CUTTERS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
26	**KELLY PERFECT WEED CUTTER** — 14" x 2½" extra sharp double edge blade, deep serrated. Blade is dipped in rust resisting lacquer, removable for sharpening. Fire-hardened oval handle 31" long. Overall length 38".	6	28
29	**KELLY PERFECT GRASS CUTTER** — 9" x 1½" serrated double-edge razor sharp blade forged from high carbon scythe grade steel, heat treated and tempered. Blade is firmly bolted to copper bronze steel shank. Fire-hardened handle 36" overall length.	6	14
29S	Replacement blades for 29.	12	3

GRASS HOOKS, & SNATHS

4	**KELLY PERFECT SHORT HANDLE HOOK** — Forged from finest quality scythe steel, hardened and tempered to take and keep a sharp edge. Detachable blade with keen raced edge. Nail hole in tip of blade. Oval grip of select quality hickory.	6	10
5	**PERFECT LONG HANDLE HOOK** — Same blade as No. 4 but with 44" handle specially handy for trimming grass under hedges and shrubs or along fences, etc.	6	17
15	**REAPING HOOK** — A lightweight grass hook with a narrow 15½" blade. Nail hole in tip. Blade forged from scythe steel. Offset tang riveted to oval hardwood handle.	6	7
354	**SNATH** — Aluminum Universal Snath.	6	35



TRUE TEMPER®

D20



D21

TGC20



TGC21

TGC22

TGC23

D22

D23

TGC24

TGC25

TGC26

TF88

D24

D25

D26

D27

HAND TOOLS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
D20	**HEAVY DUTY TROWEL** — Chrome plated 6¼″ x 3⅜″ blade. Plastisol finger fit grip handle.	6	10
D21	**HEAVY DUTY TRANSPLANTING TROWEL** — Chrome plated 5½″ x 2½″ blade. Plastisol finger fit grip handle.	6	7
D22	**HEAVY DUTY HANDLE CULTIVATOR** — Chrome plated. 3 prongs, 3¾″ wide. Plastisol finger fit grip handle.	6	9
D23	**DELUXE DIGGING FORK** — Chrome plated 3 flat pointed tines, 3¾″ width. Plastisol finger fit grip handle.	6	7
D24	**DELUXE WEEDING HOE** — Chrome plated 3 cultivator tines and 3″ x 5¾″ blade. Plastisol finger fit grip handle.	6	8
D25	**DELUXE POINTED HOE** — Chrome plated 2 tines and heart-shaped 3″ x 6″ blade. Plastisol finger fit grip handle.	6	7
D26	**DELUXE HAND RAKE** — Chrome plated 4 steel teeth 2¾″ long, 3½″ head width. Plastisol finger fit grip handle.	6	7
D27	**HEAVY DUTY DANDELION DIGGER** — Chrome plated "V" shaped cutter. Plastisol finger fit grip handle.	6	5
TGC20	**REGULAR TROWEL** — Chrome plated 5⅝″ x 3¼″ blade. Fire hardened handle.	12	4
TGC21	**TRANSPLANTING TROWEL** — Chrome plated 5½″ x 2″ pointed blade. Fire hardened handle.	12	4
TGC22	**HAND CULTIVATOR** — Chrome plated 3¾″ head width. Fire hardened handle.	12	7
TGC23	**DIGGING FORK** — Chrome plated 3 pointed tines, 3¾″ wide. Fire hardened handle.	12	7
TGC24	**WEEDING HOE** — Chrome plated 3 cultivator tines and 3″ x 5¾″ blade. Fire hardened handle.	12	7
TGC25	**POINTED HOE** — Chrome plated 2 tines and heart-shaped blade 2⅞″ x 5¾″. Fire hardened handle.	12	7
TGC26	**HAND RAKE** — Chrome plated 4 steel teeth 2¾″ long, 3½″ head width. Fire hardened handle.	12	6
TF88	**DANDELION DIGGER** — Chrome plated "V" shaped cutter. Fire hardened handle.	12	5

HAND TOOL MERCHANDISER TGCA5

Consists of:

12 - TGC20 Hand Trowel
9 - TGC21 Transplant Trowel
6 - TGC22 Hand Cultivator
9 - TF88 Dandelion Digger

Weight Complete: 20 lbs.

DS5

GC40

TBPD

DW

LS5



GR8



LY5

FLORAL TOOLS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
TBPD	**BULB PLANTER** — Ideal for planting bulbs and other small plants. The notched cutting edge makes a round 2¼" dia. hole — 4" deep. Ribbed for extra strength. Tube length 4½". Sparkling durable chrome-plate finish.	6	10
DW	**DANDELION DIGGER** — This dandelion digger is a must for every home. Excellent for cutting weed stems below ground. Sharp, V-shaped, forged-steel blade. Overall length 47". 3½ ft. shaped ash handle.	6	14
GC40	**FLORAL SHOVEL** — Lightweight. Blade size 6" x 8¼" with turned step. 36" fire-hardened handle.	6	23
LS5	**GARDEN SHOVEL** — Small size Garden Shovel — (blade size 6" x 8½") for lady gardeners and light digging. Turned steps. Sturdy hollow back construction. 42" fire-hardened handle, gold bronze trim on blades.	6	30
DS5	As above but with D-top handle.	6	31
GR8	**FLORAL RAKE** — This is a light 8-tooth level head rake designed for use in confined space. Excellent for giving garden soil a final break-up and smoothing down. 4 ft. fire-hardened ash handle.	6	17
LY5	**FLORAL HOE** — Lightweight tool for small area gardening. Ideal for floral cultivation, with 5" wide blade. 4 ft. shaped ash handle is fire-hardened.	6	17

TRUE TEMPER®

3AGC



SPC3



SC4

EDS



35X

DB2

CULTIVATORS & EDGERS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
3AGC	**ADJUSTABLE CULTIVATOR** — Three adjustable forged steel teeth. Outside teeth can be removed for narrow cultivating area. All parts replaceable. Head and socket fully finished in gold bronze. 4 ft. fire-hardened ash handle.	6	20
5AGC	As above but with 5 adjustable teeth.	6	40
SC4	**"SPEEDY" CULTIVATOR** — Four sharp pointed forged steel tines, 4" long. Width of head 5". Gold bronze head finish. 4⅓ ft. fire-hardened handle.	6	21
SPC3	**COMET 3-TOOTH CULTIVATOR** — Lightweight three tine garden cultivator. Steel teeth are sharpened and lacquered red. 4 ft. fire-hardened handle.	6	14
EDS	**TURF EDGER** — Round blade socket pattern. Trims thick sod along flower beds, walks, trees, etc. Turned steps. Finished in gold bronze. SturdE D-top handle. 9" x 4¾" blade.	6	34
E4S	As above but with 4 ft. long handle.	6	33
SPED	**COMET TURF EDGER** — As EDS but Comet red finish and 8" x 3" blade. D-top.	6	26
SPE4	**COMET TURF EDGER** — As E4S but Comet red finish and 8" x 3" blade.	6	26
DB2	**ROTARY TURF EDGER (2-wheel)** — New "duckbill" cutter bar extends below the star cutting wheel to provide trenching guide for maximum trimming efficiency. Blade automatically shifts into best position for easy shearing action. Two cross-ribbed rubber tires for sure traction. 4½" wheel diameter — 6¼" cutter blade is serrated for positive slicing action.	2	60

POST HOLE DIGGER

35X	**POST HOLE DIGGER** — This True Temper tool (also known as the 'Atlas' Post Hole Digger) is designed for use in all types of heavy or gravel soils. Has 6" point spread. Blade size 8" x 5½" high carbon steel. Strong 4 ft. ash handles.	2	100

FBR22

FS18



SL22

SP22



NSR

CLR

LEAF & LAWN RAKES

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
SL22	**SPRING-BRACED RAKE** — Sturdiest rake on the market, chrome plated steel spring stiffens flex action. 22 tempered steel teeth angled for 2" raking depth. Fire-hardened 4⅓ ft. handle. Head width 22". Packed 6 heads in carton and 6 handles in bundle.	6	30
FBR22	**BRUME RAKE** — Efficient sweeping action to pick up smallest grass clippings. 22 spring teeth. Head finished in gold bronze. 3½ ft. fire-hardened handle. Head width 19". 12 heads in carton and 12 handles in bundle.	12	20
SP22	**COMET BRUME RAKE** — Same specifications but built for competitive pricing.	12	20
FS18	**PLASTIC LAWN RAKE** — Light sweep feel of bamboo, the flexibility of spring steel. Powerful raking action for the heaviest jobs. Molded polypropelene, one-piece construction for durability, non-rust. Head width 18". Fire-hardened 4 ft. handle.	12	19
NSR	**NARROW SHRUB RAKE** — Ideal for clean-up in and around rockeries, hedges, shrubs, etc. 7" width can be reduced further by removing outside teeth. 4 ft. handle. Light design for quick, accurate, easy control. Std. pack: 12 heads in carton, 12 handles in bundle.	12	13
NSRT	**REPLACEMENT TEETH** — 7¼" length to fit NSR (above).	25	1
CLR	**'COMET' UTILITY LAWN RAKE** — Priced extra low for promotion use. 20 broad spring steel teeth permanently anchored in a sturdy frame. Head width 19". Curved edge construction. 4 ft. fire-hardened handle. Teeth and frame lacquered. Packed 12 heads in carton. 12 handles in bundle.	12	22















GARDEN RAKES

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
B15	**GARDEN BOW RAKE (15 Tooth)** — Forged steel one piece head finished in gold bronze. 15 curved teeth 3" long on 15" wide head. Select ash 5 ft. handle with fire-hardened finish. Iridescent maroon tubular steel ferrule.	6	40
B14	**GARDEN BOW RAKE** — Similar to B15 but with 14 teeth. 5 ft. fire-hardened handle.	6	33
SPB14	**COMET GARDEN BOW RAKE** — Welded bow construction, 4½ ft. handle and standard Comet red finish.	6	33
14	**LEVEL HEAD RAKE** — Spring cushion neck gives a flexible action that absorbs shocks. 14¾" head. The 14 teeth are slightly dished to rake clean. 5 ft. select ash handle is shaped with a spring neck. Fire-hardened finish.	6	37
SP14	**COMET LEVEL HEAD RAKE** — Good competitive quality. Same type as 14 but with Comet finish.	6	29
C14	**'WELDLESS' LEVEL HEAD RAKE** — The strong double shank provides extra strength with medium weight. Attractively finished with iridescent maroon ferrule and select ash 5 ft. handle with fire-hardened finish. 14 teeth. Head width 14".	6	34
MP20	**MULTI-PURPOSE RAKE** — Turned one way, it's an efficient lawn rake . . . Good for lifting crabgrass for mowing. Turn head other way and it's fine for working and loosening soil and preparing the ground for lawn reseeding. 15" head and brackets finished in gold bronze. 5 ft. handle, 21 teeth. Fully assembled.	3	48
DLR	**DANDELION RAKE** — Used extensively in many areas for removing Dandelion heads. 26 slotted teeth also effective in pulling out crabgrass without injury to sod. Curved head parallels ground. 5 ft. fire-hardened ash handles. 18½" head width.	6	40
SPDLR	**COMET DANDELION RAKE** — Same specifications as DLR but with red lacquered head and socket. Good quality at attractive price.	6	37

INDUSTRIAL RAKES

A14	**ASPHALT RAKE** — Forged head with 18" long square forged steel shank. Drop shank pattern. 5 ft. ash handle, fire-hardened. Straight teeth. Long tubular steel ferrule, maroon finish. 14 straight teeth, each 3½" long.	3	70
X14	**ROAD RAKE** — Forged steel head with heavy straight teeth. 5½' select ash handle, fire-hardened. Tubular ferrule, iridescent maroon finish. Has 14 straight teeth, each 3½" long. 15½" head width.	6	56









GARDEN & FIELD HOES

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
FS643	**GARDEN HOE (Socket pattern)** — Forged steel 6″ wide blade has sharp cutting edge. Spring neck 4⅓ ft. ash handle, fire-hardened. Gold bronze trim.	6	22
FS743	As above but 7″ blade width.	6	25
SM843	**SOUTHERN MEADOW HOE (Socket pattern)** — Forged steel 8″ wide x 3½″ deep blade. Gold bronze trim. 4⅓ ft. fire-hardened ash handle.	6	30
F643	**GARDEN HOE (Shank pattern)** — Forged steel 6″ wide blade with sharp-cutting edge. Gold bronze trim. 4⅓ ft. spring neck fire-hardened ash handle. Mirror maroon tubular ferrule.	6	23
F743	As above but 7″ blade width.	6	27
TS843	**TAPER BLADE HOE** — 8″ fully forged blade tapers to sharp narrow edges for garden furrowing. Excellent around plants . . . for cultivating under leaves of low plants. 4⅓ ft. handle.	6	23
SPT8	**COMET TAPERED HOE** — Well made competitive grade 8″ wide hoe. Tapered blade, electric welded. Attractive red lacquer finish. Has shaped 4 ft. handle for real balance and feel.	6	22
SPEW7	**COMET GARDEN HOE** — 7″ wide blade. Electric welded. 4 ft. handle.	6	25
BS743	**BEET HOE** — Socket pattern. 7″ blade tapers from 3½″ at centre to 2¼″ at ends. Sharp, high carbon steel blade. 4⅓ ft. fire-hardened ash handles. Iridescent maroon ferrules, gold bronze heads.	6	23
T8N43	**TURNIP HOE** — Shank type, narrow pattern turnip hoe has high carbon steel 8″ blade. The 4⅓ ft. ash handle is shaped for true balance.	6	27
W7H43	**WARREN CULTIVATOR HOE (Shank Pattern)** — Forged steel 4¾″ x 6⅝″ blade. Gold bronze trim. Use point down for furrowing, point up for closing furrow. 4⅓ ft. fire-hardened ash handle.	6	23

TRUE TEMPER®

9D

SP9D

SCUFFLE & MORTAR HOES

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
D044	**'DUTCH HOE'** Oshawa pattern hoe. For surface cultivation of flower gardens. Cuts weeds off smoothly, breaks up surface crust. 4 ft. handle.	6	21
D0743	Larger 7" size for market gardens and vegetable plots. As above but 7" blade, 4⅓ ft. handle.	6	25
D743	**'WELLAND' PATTERN HOE** — Broad, flat blade slides easily just under surface of soil. 4⅓ ft. fire-hardened ash handle. 7½" blade width.	6	28
EH43	**'EUREKA' PATTERN STIRRUP HOE** — Tempered spring steel blade cuts weed roots below ground with easy push-pull action. 4⅓ ft. handle. 7" blade width.	6	23
IM10	**MORTAR HOE (Mixer type)** — This is the 'Mixer' type hoe with two-hole construction. Long tubular steel ferrule, mirror maroon finish. 5½ ft. fire-hardened handle. Blade size: 10" x 6".	3	51
M10	**MORTAR HOE (Regular)** — Plain blade type. One-piece forged blade measuring 10" x 6". Heavy shank. 5½ ft. handle, fire-hardened, iridescent maroon steel ferrule.	3	52

DIGGING FORKS

9D	**GARDEN SPADING FORK** — Medium weight general purpose garden digging fork. Four diamond-back tines are heat treated, and have sharpened points. Iridescent maroon seamless steel ferrule, gold bronze head trim. SturdE D-top handle.	6	51
94	As above but with 4 ft. handle.	6	47
SP9D	**COMET GARDEN FORK** — Good quality at competitive price. Four forged steel tines. D-top, fire-hardened handle. Attractively finished.	6	41

TRUE TEMPER®



EF8

54W 64W

HAY FORKS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
3124	**HAY FORK (3-Tine)** — Three forged 12" oval tines, sharp pointed. Gold bronze head trim, iridescent maroon tubular ferrule. 4 ft. select ash handle, fire-hardened. 7" width.	6	32
SP3124	**COMET 3-Tine HAY FORK** -- Competitive quality with Comet red lacquer finish.	6	29

MANURE FORKS

54W	**5-Tine MANURE FORK** — Five 12½" forged steel oval tines, pointed. 10½" overall width. Head trimmed in gold bronze, with crystalite maroon finish on long seamless tubular steel ferrule. 4 ft. select ash handle, fire-hardened.	6	43
5DW	As 54W but with SturdE top.	6	46
SP5DW	**COMET 5-Tine MANURE FORK** — As 5DW but with Comet red finish and 10½" overall width. A serviceable tool at low cost. Fire-hardened handle with D-top.	6	41
SP54W	**COMET** — As SP5DW but with 4 ft. handle.	6	43
64W	**6-Tine MANURE FORK** — Best where manure is fine. Six 12½" pointed forged steel oval tines — 10" overall width. Head trimmed in gold bronze, steel ferrule in maroon. 4 ft. long handle of select ash, fire-hardened.	6	46
6DW	As above but with 32" SturdE top.	6	50



R41645 3124 5164

FARM & HARVEST FORKS

R41645	**STRAW OR HEADER FORK**—Four forged 15" pointed tines. 11" overall width. Round shoulder. Head gold bronze with ferrule finished maroon. 4½ ft. fire-hardened select ash handle.	6	44
5164	**BARN FORK (5-Tine)** — Large capacity 5-tine fork for general utility. Square shoulders, bent handle. Slender 16" oval forged tines. Head trimmed in gold bronze. Long iridescent maroon seamless steel ferrule. 4 ft. fire-hardened handle.	6	50
516D	As above but with SturdE D handle.	6	53
3744	**BALING FORK** — Short strong 7" tines, are right length for moving all types of bales. Head gold bronze, tubular steel ferrule is maroon. 4 ft. select ash handle is fire-hardened. 6¾" width.	6	29
EF8	**ENSILAGE FORK** — Eight 16" steel oval tines. Space between tines 1½". Overall width 13". SturdE D-Top Handle.	3	70



3744 4M 4GND 2F4

HOOKS & FISH FORKS

4GND	**POTATO HOOK** — Gooseneck pattern. Four forged diamond back tines, bent head. 6½" width. 4 ft. fire-hardened ash handle. Tubular maroon ferrule.	6	25
4M	**MANURE HOOK** — Four 9½" forged steel, sharp pointed oval tines. Width at points 9". Tubular maroon ferrule. Fire-hardened 5 ft. handle of select quality ash.	6	42
2F4	**FISH FORK**—Straight ferrule style. Gold bronze trim on head. Two forged 8" steel tines, maroon ferrules. 4 ft. fire-hardened ash handle.	6	25

REPLACEMENT FORK TINES

312Q	Three tine head only, for Hay Forks. Tines 12" in length. Specifications same as for original equipment.	12	11
513Q	Five tine, wide pattern, head only, for Manure Forks. Tines 12½" in length. Tines tapered and pointed.	12	22
613Q	Six tine, wide pattern, head only, for Manure Forks. Tines 12½" in length. Tines tapered and pointed.	12	26
516Q	Five tine head only, for Barn Forks. Tines 16" in length. Tines tapered and pointed.	12	29



312Q 516Q 513Q 613Q

TRUE TEMPER®

BDR2



BDLR2

BDS2



BDLS2



BDGS2

TRUE TEMPER SHOVELS
SOLID SHANK CONSTRUCTION

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
BDR2	**STANDARD ROUND POINT D-Handle** — Tapered forged solid steel shank — Strongest known. Fire-hardened ash handle 27¾″ SturdE D-Top. Blade 9″ x 12″.	6	60
BDLR2	**STANDARD ROUND POINT Long Handle** — Perfect balance designed into this solid shank pattern with 49½″ fire-hardened handle, 9″ x 12″ blade.	6	57
BDLR2N	**NARROW ROUND POINT** — As above but with 8¼″ x 12″ blade.	6	56
BDS2	**STANDARD SQUARE POINT D-Handle** — SturdE 27¾″ D-handle of fire-hardened ash. Finest solid steel shank construction. Taper forged for extra strength at stress points. Blade size 9½″ x 12″.	6	59
BDLS2	**STANDARD SQUARE POINT Long Handle** — Solid shank process with heavy sections of steel forged at points of wear for longer life. 49½″ handle of select fire-hardened ash. 9½″ x 12″ blade.	6	60
BDGS2	**GARDEN SPADES** — A very popular garden spade design with turned steps and square point that keeps its cutting edge longer. Blade size 7¼″ x 12″ fire-hardened D-top handle.	6	53
BDLGS2	As above but with 49½″ long handle.	6	53



BDRR

BDFF1

BDDS14

BD11

BDMSS

TRUE TEMPER SHOVELS
SOLID SHANK CONSTRUCTION

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
BDDS14	**TAPERED DRAIN SPADE** — Deep 14″ blade tapers from 5½″ to 4½″ at round point end. Riveted steps. Special 10½″ socket. Fire-hardened SturdE D-top handle.	6	55
BD11	**IRRIGATING SHOVEL** — A lightweight irrigating shovel designed with special low lift, slightly bowed 8″ x 11″ blades. 46¾″ handle.	6	49
BDFF1	**FIREFIGHTING SHOVEL** — Specially designed for severe fire fighting conditions. Forged blade and fire-hardened handle takes abuse well. Handle 40½″. Blade 7⅜″ x 10½″.	6	45
BDM	**MOULDERS SHOVEL** — SturdE D-handle of fire-hardened ash —27¾″ length. Blade size 10″ x 12″. Tumble polished blade.	6	59
BDRR	**RAILROAD TRACK SHOVELS** — Square point pattern. Special 13 gauge, square point blade size 9¾″ x 12″ with 10½″ socket. SturdE 27¾″ D-handle is fire-hardened. Blade is tumble polished. Foot treads.	6	67
BDMSS	**MINERS SHAFT SINKING SHOVEL (Round Point)** — Special sloping shoulders to lift loads easily and prevent shoe sole damage. SturdE fire-hardened D-handle, 27½″ length. Blade size 10″ x 13½″.	6	63



BDM

BADGER SHOVELS
SOLID SHANK CONSTRUCTION

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
GR2	**STANDARD ROUND POINT** — Low price—big value! A good looking shovel with solid shank blade in tumble polished finish. 27¾" SturdE fire-hardened ash handle. Blade size 8¾" x 11½".	6	50
GLR2	As above but with 47" long handle.	6	49
GS2	**STANDARD SQUARE POINT** — Designed for perfect balance and practical utility in every way. Solid shank strength and long life. Fire-hardened 27¾" SturdE handle. Blade size 9½" x 12".	6	54
GLS2	As above but with 47" long handle.	6	55
GGS2	**GARDEN SPADE**—Competitively priced garden spade with the solid shank selling feature. Blade has foot step for easy digging. Tumbled finish blade and socket. SturdE 27¾" handle. Blade size 7¼" x 12".	6	50

DYNALITE SHOVELS
TAPER-FORGED CONSTRUCTION

DR2	**ROUND POINT — D-Handle** — Hot taper-forged from a solid bar of steel. This process distributes metal to add strength at wear points and reduces weight for precise down-the-centre balance. Tube shank and tube socket assures the lightweight but strong quality. 8⅝" x 11½" tumbled polished blade with turned step. 27¾" SturdE fire-hardened ash handle.	6	50
DLR2	**ROUND POINT — Long Handle** — As above but with 47" long handle.	6	50
DS2	**SQUARE POINT — D-Handle** — Blade size 9¾" x 12" with turned step. 27¾" SturdE fire-hardened ash handle.	6	56
DLS2	**SQUARE POINT — Long Handle** — As above but with 47" long handle.	6	55
SD	**GARDEN SPADE — D-Handle** — Blade size 7¼" x 12" with turned step. 27¾" SturdE fire-hardened ash handle.	6	49

TRUE TEMPER®

BCS2
GMS2

BCLR2
GMLR2

BCR2
GMR2



BCGS2
GMGS2

BLACK CAT SHOVELS, SCOOPS HOLLOW BACK CONSTRUCTION

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
BCS2	**SQUARE POINT SHOVELS D-Handle** — Light yet strong 'hollow back' construction. Attractively finished, tumble polished blade. Blade size 10″ x 12″. 27½″ SturdE fire-hardened ash handle.	6	57
BCS4	As above but with 10¾″ x 13″ blade.	6	60
BCS6	As BCS2 but with 11¾″ x 14¾″.	6	66
BCLS2	**SQUARE POINT—Long Handle** — As BCS2 but with 48″ handle.	6	55
BCR2	**ROUND POINT D-Handle** — Tumble polished blade carefully heat treated for uniform toughness. SturdE D-handle 27½″. Blade size 8⅝″ x 12″.	6	50
BCLR2	**ROUND POINT — Long Handle** — 48″ fire-hardened ash handle. Blade tumble polished finish, 8⅝″ x 12″.	6	50
BCGS2	**GARDEN SPADE** — Designed for perfect balance and precise lift. 7¼″ x 12″ blade of high carbon steel. 27½″ SturdE handle is fire-hardened. Turned edge foot step.	6	48
JHBMMS	**SPECIAL SQUARE POINT MUCKING SHOVEL DH** — Blade size: 11¼″ x 13″.	6	69
BCCG4	**COAL OR GRAIN SCOOPS** — Deep dish blades with smooth tumble polish finish. 27½″ SturdE D-handles are fire-hardened. Blade size 11¼″ x 16½″.	3	71
BCCG6	As above but with 13″ x 17½″ blade.	3	74
BCCG8	As above but with 13½″ x 18¾″ ribbed blade.	3	79
BCCG10	As above but with 14″ x 19¼″ ribbed blade.	3	86
BCFWG8	**FEATHERWEIGHT GRAIN SCOOPS** — Made of 16 gauge heat-treated steel for grain use only. Not guaranteed for other uses. 27½″ SturdE D-handle. 13¾″ x 18″ blade has reinforcing ribs.	3	73
BCFWG10	As above but with 14″ x 19½″ blade.	3	77
AL8	**"ALUMITE" ALUMINUM SCOOPS** — Special analysis aluminum blades ribbed for extra strength. Light and durable. 27½″ fire-hardened ash handles have SturdE D-tops. Blade size 13¼″ x 18″.	6	44
AL10	As above but with 13¾″ x 18½″ blade.	6	48
38	**COMET ALUMINUM SCOOP** — Blade specifications as AL8 but Comet grade.	6	44
310	**COMET ALUMINUM SCOOP** — Blade specifications as AL10 but Comet grade.	6	46

BCCG6



AL8

COMET SHOVELS HOLLOW BACK CONSTRUCTION

GMR2	**ROUND POINT — D-Handle** — Competitive priced shovel. 8⅝″ x 12″ heat-treated and tumble polished blade. 27½″ SturdE fire-hardened ash handle.	6	48
GMLR2	**ROUND POINT — Long Handle** — As above but with 48″ long handle.	6	48
SLO	**ROUND POINT — Long Handle** — As above but with 8″ x 10″ blade. Ideal as garden or forestry shovel. 40″ long handle.	6	40
GMS2	**SQUARE POINT — D-Handle** — Tumble polished heat treated blade. Blade size 10″ x 12″. 27½″ SturdE ash handle.	6	54
GMLS2	**SQUARE POINT — Long Handle** — As above but with 48″ long handle.	6	53
GMGS2	**GARDEN SPADE** — Competitive priced. 7¼″ x 12″ tumble polished blade. 27½″ SturdE fire-hardened ash handle.	6	48

A16 A16R B16 FGS20R FG016 FG116R FG116

HAMMERS

R23

75-12

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
ROCKET A13	**NAIL** — Fancy octagon polished head. Tubular heat-treated alloy steel handle, chrome plated. Non-slip black grip. Head weight 13 oz. Overall length 12½″.	4	16
A16	**NAIL** — Head weight 16 oz. Overall length 13″.	4	20
A20	**NAIL** — Head weight 20 oz. Overall length 14¼″.	4	22
A16R	**RIPPER** — Head weight 16 oz. Overall length 13″.	4	20
A20R	**RIPPER** — Head weight 20 oz. Overall length 14¼″.	4	22
JET ROCKET B16	**NAIL** — Octagon pattern, polished face, black finish head. Tubular steel, chrome plated handle with black cushion grip. Head weight 16 oz. Overall length 13″.	6	20
FIBERGLASS FG013	**NAIL** — Fancy octagon polished head, epoxy bonded to octagon-shaped fiberglass handle. Non-slip black cushion grip. Head weight 13 oz. Overall length 12½″.	4	17
FG016	**NAIL** — Head weight 16 oz. Overall length 13″.	4	20
FG020	**NAIL** — Head weight 20 oz. Overall length 13¾″.	4	23
FG018R	**RIPPER** — Head weight 18 oz. Overall length 13″.	4	22
FGS20R	**RIPPER** — Heavy Duty, Head weight 20 oz. Overall length 13¾″.	4	23
FG113	**NAIL** — Bell face head with polished cheeks, bell and face of claw. Head is epoxy bonded to octagon shaped fiberglass handle. Non-slip black cushion grip. Head weight 13 oz. Overall length 12½″.	4	17
FG116	**NAIL** — Head weight 16 oz. Overall length 13″.	4	20
FG120	**NAIL** — Head weight 20 oz. Overall length 13¾″.	4	24
FG116R	**RIPPER** — Head weight 16 oz. Overall length 13″.	4	21
FG120R	**RIPPER** — Head weight 20 oz. Overall length 13¾″.	4	24
HATCHET 75-12	**BOX HATCHET** — Milled face. Full grip handle, taper butt. Blade width 2¼″. Overall length 12½″.	4	21
R23	**RIG BUILDER HATCHET** — For heavy platform work. Milled face. Slim handle. Blade width 3⅝″. Overall length 17½″.	4	30



12H1K



22Y1K



35M1K



35D1K



35M2K



25904

PICKS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
105	**CLAY PICK** — Forged from a single bar of special analysis pick steel. Finished in rust-proofing enamel. Standard eye size.* 22″ overall length. Weight 5 lbs.	6	60
106	As above, 6 lbs. wt. each. 23″ overall.	6	72
107	As above, 7 lbs. wt. each. 24″ overall.	6	84
206	**ROCK PICK** — Designed with shorter and heavier arms for mine work. Both points are hot forge drawn to hold point-sharpness longer. Standard eye size.* 20½″ overall length. 6 lbs. weight each.	6	72
8055	**EDGE CUTTER MATTOCK** — Has one mattock and one cutter end. A combination chopping and cutting tool for all uses. Eye size fits Standard pick handle.* Overall length 16″. Mattock end 4″ x 7″; Cutter end 3″ x 5″. Weight 5 lbs. each.	6	66
10055	**PICK MATTOCK** — Ideal for general contracting work—combines a mattock blade and diamond point pick end — both ends are hot forge drawn in special pick steel. Cutter 4″ x 6″; Pick 8″ long; Overall length 18″; Weight ea. 5 lbs. *Uses standard pick handle.	6	66

AXES

KELLY WOODSLASHER AXES — Forged from a bar of high carbon steel, heat-treated and tempered. Polished bit. Poll finished in bright red. Forged steel ridges inside the eye grip the handle securely.

12H1K	**HUNTER'S AXE** — 1¼ lb. head. 14″ fire-hardened hickory handle.	6	22
22Y1K	**BOY'S AXE** — 2¼ lb. head. 28″ fire-hardened hickory handle.	2	39
35M1K	**MEN'S AXE** — 3½ lb. Michigan pattern head. 36″ fire-hardened hickory handle.	2	58
30D1K	**MEN'S AXE** — 3 lb. Dayton pattern head. 36″ fire-hardened hickory handle.	2	52
35D1K	**MEN'S AXE** — 3½ lb. Dayton pattern head. 36″ fire-hardened hickory handle.	2	58
35M2K	**DOUBLE-BIT AXE** — 3½ lb. Michigan pattern head. 36″ fire-hardened hickory handle.	2	58

SLEDGES

DOUBLE FACE HANDLED SLEDGES by True Temper. Forged carbon steel. Heat treated and tempered by modern methods. Packed 4 in fiber carton. Available in head weights listed below:

ITEM NUMBER	HEAD WEIGHT	WT. PER PACK	HANDLE LENGTH	WT. PER DOZ.
25904	4 lbs.	20 lbs.	30″	60 lbs.
25906	6 lbs.	30 lbs.	32½″	90 lbs.
25908	8 lbs.	38 lbs.	32½″	114 lbs.
25910	10 lbs.	47 lbs.	33″	141 lbs.
25912	12 lbs.	53 lbs.	33″	159 lbs.

2518

2524

HR45



HR41



HR36

HR32

WRECKING BARS

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
2518	Forged one-piece carbon steel, one chisel and one goose-neck end with nail claw. Size 18″ x 5/8″.	12	20
2524	Size 24″ x 3/4″.	12	40
2530	Size 30″ x 3/4″.	12	50
2536	Size 36″ x 3/4″.	12	60

HOSE REELS & HANGERS

ITEM NUMBER	SPECS.	DESCRIPTION	STD. PACK	WT. PER DOZ.
HR45	200′ Cap. 5/8″ I.D. hose*	**ALL-PURPOSE REEL/CART COMBINATION** — Heavy gauge steel reel and tubular steel cart. Hose winds easily onto reel mounted on new, non-tip designed cart. Detachable reel can be mounted to house; cart becomes handy carrier. Packed with reel assembled Attractive metallic green finish. 5′ leader hose included.	1	18.5
HR41	200′ Cap. 5/8″ I.D. hose*	Similar to above with slightly different cart design. Reel/cart combination offers deluxe construction and promotional features at lower price. 5′ leader hose included.	1	13
HR36	200′ Cap. 5/8″ I.D. hose*	**SWIVEL-BRACKETED HOSE REEL** swings away from wall and locks in three different operating positions. Reel packed assembled. Metallic green and plated finish. 4½′ leader hose.	1	11
HR32	200′ Cap. 5/8″ I.D. hose*	**ATTACHES TO WALL** with "bull-horn" hanger that offers stronger support, easier hose reel-off, retrieve. Reel packed assembled. Metallic green finish. 4½′ leader hose.	1	11.5
HH2		**GENERAL PURPOSE UTILITY HANGER** — Chrome-plated tubular steel, protective plastisol caps. Sturdy for hang up of hose, spreader, mower, tires, etc.	6	1
HH1	7″ x 8½″	**HOSE HANGER** — Convenient. Installs easily. Promotional item.	12	1

HH2



HH1

BROADCAST SPREADER

Equipped with special distribution pattern control for a wide variety of accurate settings: as little as 4 ounces of seed or as much as 40 lbs. of fertilizer per 1,000 sq. ft. Ideal control when spreading along gardens, driveways and homes. Dial settings are calibrated to insure coverage accuracy without material waste with fingertip on/off control. Offers user the greatest efficiency of any spreader on the market.

MODEL NO.	PRODUCT	STD. PACK	WT. EACH
D2713	Broadcast Spreader	1	19



D2713

Outstanding Features

1. T-BAR CONTROL HANDLE with finger-fit grips provides steady leverage and easy maneuvers. Knob control located conveniently on top of handle for easy access to operator.

2. FINGERTIP CONTROL CENTER for feed setting and dispensing wide variety of calibrated settings, to open and close feed gate.

3. STAINLESS STEEL VIBRATING AGITATOR keeps materials flowing from beginning to end of load. Shape allows open fertilizer bag to be tipped into hopper.

4. EXACT DISPENSING SYSTEM delivers materials in a streak-free controlled pattern. Design of hopper, agitator, chute and impeller work together as an exact system.

5. CORROSION RESISTANT materials assure longer life and trouble-free maintenance.

6. LARGE CAPACITY HOPPER is extra-wide, easier to fill. Deep capacity prevents blowing, spilling and takes full load of materials.

7. DISTRIBUTION PATTERN CONTROL for full or partial spread of seed or feed. "In" position for controlled spread; "out" for full 6′-8′ distribution.

REPAIR HANDLES

TRUE TEMPER ASH REPAIR HANDLES — Designed to assure perfect balance, strength and wear for maximum value. High quality white ash, fire-hardened and lacquered, provides a sealed finish resistant to weather and wear.

ITEM NUMBER	DESCRIPTION	STD. PACK	WT. PER DOZ.
760F	True Temper Rake Handle, Ferruled 5′.	6	18
SL22H	True Temper Lawn Rake Handle, 4⅓ ′.	6	9
752F	True Temper Hoe Handle, Ferruled 4⅓′.	6	15
666	True Temper Mortar Hoe Handle, Ferruled 5½′.	6	28
624	True Temper Spading Fork Handle 32¾″ SturdE D-Top.	6	24
848	True Temper Hay Fork Handle 4′.	6	22
948	True Temper Manure Fork Handle 4′.	6	21
928	True Temper Manure Fork Handle 34½″ SturdE D-Top.	6	24
T465	True Temper Solid Shank Shovel Handle 46½″.	6	18
TE24	True Temper Solid Shank Shovel Handle 24¾″. SturdE D-Top.	6	17
GM465	Comet Hollowback Shovel Handle 46½″.	6	18
GM27	Comet Hollowback Shovel Handle 26¾″ SturdE D-Top.	6	17
5H	Prince Snow Shovel Handle 35¼″ SturdE D-Top.	6	20

760F SL22H 752F 666 624 848 948 T465 TE24 GM465

TRUE TEMPER®

An Allegheny Ludlum Industries Company

TRUE TEMPER CANADA LIMITED • P.O. BOX 3018, STATION B, HAMILTON, ONTARIO

Printed in Canada